



EXPLECO GLX RAIL KIT ASSEMBLY

STEP 1.



STEP 2

STEP 3



EXPLECO GLX MAIN STAND ASSEMBLY AND OPERATION REFERENCE TO EXPLECO GLS2 OPERATION MANUAL

STEP 4



SECURE HALF TONNE BAGS WITH BUNGY CORDS AND SECURE NECK WITH COLLAR STRAP

EXPLECO GLX MAIN STAND ASSEMBLY AND OPERATION REFERENCE TO EXPLECO GLS2 OPERATION MANUAL

MOTOR CONTROL and SYSTEM FUNCTIONALITY

The operation of the GLX is identical to the GLS2 as shown in supplied GLS2 Manual

The RED light on the GLS2 control panel is a bin full sensor. The GLX does not have a bag full sensor and on

The GLX the red light is a power on indicator



EXPLECO GLX MAIN STAND ASSEMBLY AND OPERATION REFERENCE TO EXPLECO GLS2 OPERATION MANUAL

SCREEN AND HAMMER REPLACEMENT

The Hammer replacement is identical to that described in the GLS2 manual . Screen replacement differs from the GLS2.

Instead of knocking the screen out from bottom of housing you will need to remove the top shroud and then when screen bolts are removed the screen can be rotated out through the top of the housing and replaced by rotation in through the top housing as shown in the GLS2 Manual